

## S.E.(Ex+Co) (Sem-III) (CBCGS) (R-20-21) (C Scheme)

(Time: 3 hours)

[Total marks: 80]

Note: - (1) Question No. 1 is compulsory.

(2) Answer any three question from Q 2 to Q 6.

(3) Figures to the right indicate full marks.

- 1 (a) Find the Laplace Transform of  $e^{-t} \sin 2t \cos 3t$ . 05
- 1 (b) Construct an analytic function whose real part is  $y^3 - 3x^2y$  05
- 1 (c) Find Eigen values of  $A^2 - 2A + I$  where  $A = \begin{bmatrix} 2 & -1 & -2 \\ 0 & 1 & 4 \\ 0 & 0 & -3 \end{bmatrix}$ . 05
- 1 (d) Find Fourier series for  $(x) = x^2$  in  $0 < x < 2\pi$ . 05
- 
- 2 (a) If  $\bar{F} = xye^{2z}i + xy^2\cos zj + x^2\cos yk$  find  $\operatorname{div}\bar{F}$  and  $\operatorname{curl}\bar{F}$  06
- 2 (b) Find Fourier series of  $f(x) = x^3$ ,  $-\pi < x < \pi$ . 06
- 2 (c) Find Inverse Laplace Transform of (i)  $\frac{2s+3}{s^2+2s+2}$  (ii)  $\frac{s+2}{s(s+3)}$ . 08
- 
- 3 (a) Find Eigen Values and Eigen Vector of the following matrix 06
- $$A = \begin{bmatrix} 3 & 10 & 5 \\ -2 & -3 & -4 \\ 3 & 5 & 7 \end{bmatrix}$$
- 3 (b) Determine the Constants a, b, c, d if 06
- $$f(z) = x^2 + 2axy + by^2 + i(dx^2 + cxy + y^2) \text{ is analytic}$$
- 3 (c) Find Fourier series for  $f(x) = \begin{cases} 1 + \frac{2x}{\pi}, & -\pi < x < 0 \\ 1 - \frac{2x}{\pi}, & 0 < x < \pi \end{cases}$  and hence deduce that 08
- $$\frac{\pi^2}{8} = \frac{1}{1^2} + \frac{1}{3^2} + \frac{1}{5^2} + \dots \dots$$
- 
- 4 (a) Prove that  $\bar{F} = (ysinz - \sin x)i + (x\sin z + 2yz)j + (xycos z + y^2)k$  is solenoidal and irrotational. 06

4 (b) Evaluate  $\int_0^\infty e^{2t} t \cos t dt.$

06

4 (c) Show that the matrix

$$A = \begin{bmatrix} -9 & 4 & 4 \\ -8 & 3 & 4 \\ -16 & 8 & 7 \end{bmatrix}$$

diagonalizable and find transforming matrix and Diagonal

matrix.

08

5 (a) Find the inverse Laplace Transform of  $\frac{s+4}{(s+1)(s+2)(s+3)}$  by using  
Partial fraction method.

06

5 (b) Construct an analytic function  $f(z) = u + iv$ , where

06

$$v = (x - y)(x^2 + 4xy + y^2).$$

5 (c) i) Show that  $\bar{F} = (2xyz^2)i + (x^2z^2 + z\cos yz)j + (2x^2yz + y\cos yz)k$  is a  
conservative field.

04

ii) If  $\bar{F} = (x + 3y)i + (y - 2z)j + (az + x)k$  is solenoidal, find the value of a

04

6 (a) Find Eigen Values and Eigen Vector of the following matrix

06

$$A = \begin{bmatrix} 4 & 6 & 6 \\ 1 & 3 & 2 \\ -1 & -5 & -2 \end{bmatrix}$$

6 (b) Find inverse Laplace transform

i)  $\frac{1}{s^2 + 3s + 5}$

ii)  $\log \left[ \frac{s^2 + 4}{s + 4} \right]$

06

6 (c) Evaluate  $\int_0^\infty e^{-2t} \left( \int_0^t e^{-u} u \sin 2u du \right) dt$

08