## Paper / Subject Code: 37004 / TELEVISION ENGINEERING

## T.E. (Extc) (Sem-VI) (CBSGS) Date-12/12/19

(3 Hours)

[Total Marks: 80]

<ul><li>N.B.: (1) Question No. 1 is compulsory.</li><li>(2) Answer any Three out of remaining five questions.</li><li>(3) Draw the neat diagrams wherever necessary.</li></ul>	
<ul><li>1. (a) Explain active and passive matrix of LCD.</li><li>(b)In TV why AM is preferred over FM for picture modulation.</li></ul>	0
(c)Explain when and why the horizontal sweep oscillator step out of synchronism.	0
(d) What is the need of MUSE system.	0
<ol> <li>(a) Draw and explain Horizontal sync details compared to horizontal deflection saw tooth was</li> <li>(b) Explain D2-MAC packet format for sound/Data signal.</li> </ol>	ave. l
3. (a) Why are serrations needed in vertical sync pulses and how it solves the problem of half-lidiscrepancy? Explain with diagram.	ine 10
(b) Draw and explain Image orthicon camera tube. What is the function of the electron multiplier section?	10
<ul> <li>4. (a) Draw and explain NTSC decoder along with the explanation for Phasor diagrams of the signals in the NTSC system.</li> <li>(b) In relation to digital TV discuss?</li> <li>Digitization,</li> <li>pixel array,</li> <li>scanning notation,</li> <li>viewing distance and angle,</li> <li>aspect ratio,</li> </ul>	10
• frame rate and refresh rate.	10
<ul><li>5.(a)Explain with diagram wide dimension HDTV.</li><li>(b) What is the difference between component video and composite video? Give the main features of CCIR Rec.601 for digital video standards.</li></ul>	10 10
<ul> <li>6. Write short notes on (any two): (a) EBU MAC system.</li> <li>(b) VSB Transmission for TV, how much frequency is allocated for attenuation slope and w</li> <li>(c) Sync pulse separation and generation of vertical and horizontal sync pulses.</li> </ul>	20 rhy?

\*\*\*\*\*\*